



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 21-013369/D005.R000  
**Report Date:** 11/19/2021  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/12/21 13:05

**Customer:**  
**Product identity:** Forbidden V  
**Client/Metric ID:** .  
**Laboratory ID:** 21-013369-0005

### Summary

#### Potency:

Analyte	As Received	Dry weight		
CBC-A†	0.381	0.583		
CBD	0.0521	0.0797		
CBD-A	5.21	7.97		
CBDV†	0.0354	0.0541		
CBDV-A†	3.49	5.34		
CBG†	0.0375	0.0573		
CBG-A†	0.121	0.185		
THC-A	0.202	0.309		
THCV-A†	0.162	0.248		

#### Water Activity and Moisture:

Analyte	Result	Limits	Unit
Moisture (Loss on Drying)	34.6		%



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 21-013369/D005.R000  
**Report Date:** 11/19/2021  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/12/21 13:05



**Customer:**

**Product identity:** Forbidden V  
**Client/Metric ID:** .  
**Sample Date:** 21-013369-0005  
**Laboratory ID:**

### Sample Results

Potency	Method J AOAC 2015 V98-6 (mod)			Units %	Batch 2110377	Analyze 11/16/21 10:55 PM
Analyte	As Received	Dry weight	LOQ	Units	Notes	
CBC†	< LOQ	< LOQ	0.0298	%		<ul style="list-style-type: none"> <li>● CBD-A ● CBG</li> <li>● CBDV-A ● CBDV</li> <li>● CBC-A</li> <li>● THC-A</li> <li>● THCV-A</li> <li>● CBG-A</li> <li>● CBD</li> </ul>
CBC-A†	0.381	0.583	0.0298	%		
CBC-Total†	0.334	0.511	0.0559	%		
CBD	0.0521	0.0797	0.0298	%		
CBD-A	5.21	7.97	0.0298	%		
CBD-Total	4.62	7.07	0.0559	%		
CBDV†	0.0354	0.0541	0.0298	%		
CBDV-A†	3.49	5.34	0.0298	%		
CBDV-Total†	3.06	4.68	0.0556	%		
CBE†	< LOQ	< LOQ	0.0298	%		
CBG†	0.0375	0.0573	0.0298	%		
CBG-A†	0.121	0.185	0.0298	%		
CBG-Total†	0.144	0.218	0.0556	%		
CBL†	< LOQ	< LOQ	0.0298	%		
CBL-A†	< LOQ	< LOQ	0.0298	%		
CBL-Total†	< LOQ	< LOQ	0.0559	%		
CBN	< LOQ	< LOQ	0.0298	%		
CBT†	< LOQ	< LOQ	0.0298	%		
Δ8-THC†	< LOQ	< LOQ	0.0298	%		
Δ8-THCV†	< LOQ	< LOQ	0.0298	%		
Δ9-THC	< LOQ	< LOQ	0.0298	%		
exo-THC†	< LOQ	< LOQ	0.0455	%		
THC-A	0.202	0.309	0.0298	%		
THC-Total	0.177	0.271	0.0559	%		
THCV†	< LOQ	< LOQ	0.0298	%		
THCV-A†	0.162	0.248	0.0298	%		
THCV-Total†	0.142	0.217	0.0556	%		

Water Activity and Moisture									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Moisture (Loss on Drying)	34.6		%	0.20	2110394	11/17/21	AOAC 966.02 (mod.)		



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 21-013369/D005.R000  
**Report Date:** 11/19/2021  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/12/21 13:05

These test results are representative of the individual sample selected and submitted by the client.

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

**Units of Measure**

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 21-013369/D005.R000  
**Report Date:** 11/19/2021  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/12/21 13:05



Revision #: 0.00 Control : CFL-D06  
 Revision Date: 05/31/2019 Effective Date: 05/31/2019

**Laboratory Quality Control Results**

J AOAC 2015 V98-6								
Batch ID: 2110377								
Laboratory Control Sample								
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes	
CBDVA	0.0414	0.04	%	104	85.0 - 115	Acceptable		
CBDV	0.0416	0.04	%	104	85.0 - 115	Acceptable		
CBE	0.0419	0.04	%	105	85.0 - 115	Acceptable		
CBDA	0.0419	0.04	%	105	85.0 - 115	Acceptable		
CBGA	0.0407	0.04	%	102	85.0 - 115	Acceptable		
CBG	0.0414	0.04	%	103	85.0 - 115	Acceptable		
CBD	0.0437	0.04	%	109	85.0 - 115	Acceptable		
THCV	0.0407	0.04	%	102	85.0 - 115	Acceptable		
d8THCV	0.0398	0.04	%	99.5	85.0 - 115	Acceptable		
THCVA	0.0389	0.04	%	97.2	85.0 - 115	Acceptable		
CBN	0.0416	0.04	%	104	85.0 - 115	Acceptable		
exo-THC	0.0392	0.04	%	97.9	85.0 - 115	Acceptable		
d9THC	0.0397	0.04	%	99.3	85.0 - 115	Acceptable		
d8THC	0.0410	0.04	%	102	85.0 - 115	Acceptable		
CBL	0.0401	0.04	%	100	85.0 - 115	Acceptable		
CBC	0.0425	0.04	%	106	85.0 - 115	Acceptable		
THCA	0.0401	0.04	%	100	85.0 - 115	Acceptable		
CBCA	0.0412	0.04	%	103	85.0 - 115	Acceptable		
CBLA	0.0419	0.04	%	105	85.0 - 115	Acceptable		
CBT	0.0422	0.04	%	106	85.0 - 115	Acceptable		

**Method Blank**

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDVA	<LOQ	0.03	%	< 0.03	Acceptable		
CBDV	<LOQ	0.03	%	< 0.03	Acceptable		
CBE	<LOQ	0.03	%	< 0.03	Acceptable		
CBDA	<LOQ	0.03	%	< 0.03	Acceptable		
CBGA	<LOQ	0.03	%	< 0.03	Acceptable		
CBG	<LOQ	0.03	%	< 0.03	Acceptable		
CBD	<LOQ	0.03	%	< 0.03	Acceptable		
THCV	<LOQ	0.03	%	< 0.03	Acceptable		
d8THCV	<LOQ	0.03	%	< 0.03	Acceptable		
THCVA	<LOQ	0.03	%	< 0.03	Acceptable		
CBN	<LOQ	0.03	%	< 0.03	Acceptable		
exo-THC	<LOQ	0.03	%	< 0.03	Acceptable		
d9THC	<LOQ	0.03	%	< 0.03	Acceptable		
d8THC	<LOQ	0.03	%	< 0.03	Acceptable		
CBL	<LOQ	0.03	%	< 0.03	Acceptable		
CBC	<LOQ	0.03	%	< 0.03	Acceptable		
THCA	<LOQ	0.03	%	< 0.03	Acceptable		
CBCA	<LOQ	0.03	%	< 0.03	Acceptable		
CBLA	<LOQ	0.03	%	< 0.03	Acceptable		
CBT	<LOQ	0.03	%	< 0.03	Acceptable		

**Abbreviations**

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

**Units of Measure:**

% - Percent



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 21-013369/D005.R000  
**Report Date:** 11/19/2021  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/12/21 13:05

Revision #: 0.00 Control : CFL-D06  
 Revision Date: 05/31/2019 Effective Date: 05/31/2019

**Laboratory Quality Control Results**

J AOAC 2015 V98-6		Batch ID: 2110377						
Sample Duplicate		Sample ID: 21-013325-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
CBDA	0.0554	0.0528	0.03	%	4.76	< 20	Acceptable	
CBGA	0.845	0.803	0.03	%	5.10	< 20	Acceptable	
CBG	0.0998	0.0937	0.03	%	6.26	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
THCVA	0.165	0.158	0.03	%	4.57	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
d9THC	0.236	0.227	0.03	%	3.54	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
THCA	22.8	21.8	0.03	%	4.78	< 20	Acceptable	
CBCA	0.165	0.157	0.03	%	5.00	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.03	%	NA	< 20	Acceptable	

**Abbreviations**

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation
- NA - Calculation Not Applicable given non-numerical results

**Units of Measure:**

% - Percent



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 21-013369/D005.R000  
**Report Date:** 11/19/2021  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/12/21 13:05

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.